

madopari®
levodofa + benserazidi

1. aRweriloba

1.1 Terapiul-farmakologiuri kuTvnileba

ATC kodi: N04BA.

madopari warmoadgens levodopasa da benserazidis kombinirebul parkinsonis daavadebis sawinaaRmdego preparats.

1.2 dozirebis forma

standartuli formebi:

madoparis kafsolebi 62, 5, 125, 250 mg-iani

madoparis jvaredindanayofebiani tabletebi-125, 250 mg

dispersuli formebi:

madoparis dispersuli tabletebi 62.5, 125 mg

kontrolirebuli gamonTavisuflebis formebi: madoparis HBS (hidrodinamikurad balansirebuli sistema) kafsolebi 125mg

1.3 miRebis gza -peroraluri.

1.4 Tvisobrivi da raodenobrivi Semadgenloba

madopari warmoadgens levodofasa da dekaroqsilazas

inhibitoris -benserazidis (benserazidis hidroqloridis)

kombinacias dozis TanafardobiT 4:1. arsebobs madoparis

Semdegi Semadgenlobebi:

Mmadopari '62.5' = levodofa 50 mg + benserazidi 12.5 mg madopari '125' = levodofa 100 mg + benserazidi 25 mgmadopar '250' = levodofa 200 mg + benserazidi 50 mg

2. Terapiuli maxasiaTeblebi:

2.1 Terapiuli Cvenebobi :madopari naCvenebia parkinsonis daavadebis samkurnalod

dispersiuli formis madopari mizanSewonilia pacientebSi disfagiiT (ylapvis gaZnelebiT) an im SemTxvevebSi, rodesac saWiroa moqmedebis adreuli dasawyisi, anu avdmyofebSi akineziiT dilis saaTebSi da dRis meore naxevarSi, aseve avadmyofebSi ~dagvianebis~ da ~gaTiSvis~ fenomeniT. madopari HDS naCvenebia avadmyofebSi levodopas moqmedebis nebismieri cvalebadobis tipiT (kerZod, ~dozis pikis diskinezia~ da ~dozis damTavrebis fenomeni~, magaliTad, umoZraoba RamiT).

2.2 dozireba da miRebis wesi:

madopariT mkurnaloba iwyeba TandaTanobiT, individualurad SerCeuli dozebiT. madoparis kafksulebs iReben mTlianad, dauReWavad. xolo tabletebi daqucmacdeba ylapvis gaadvilebisaTvis.

madoparis swrafad moqmedi tabletebi ixsneba 25-50ml wyalSi. tabletebi ixsneba srulad ramdenime wuTSi rZisferi xsnaris warmoqmniT. radganac swrafad warmoiqmneba naleqi, miRebis win aucilebelia xsnaris moreva. swrafad xsnadi madoparis miReba xdeba araugvianes 30 wuTisa gaxsnis Semdeg. madopari iniSneba 30 wuTiT adre Wamamde an Wamidan 1 saaTis Semdeg. madoparis miRebiT gamowveuli mosalodneli arasasurveli gastro-intestinaluri efeqtebis Tavidan asacileblad,ZiriTedad mkurnalobis pirvel etapze, rekomendirebulia preparatTan erTad mcire zomis lukmis (mag. biskvit) an siTxis miyoleba, aseve madoparis dozis TandaTanobiT gazarde.

dozirebis standartuli reJimi

madopariT standartuli reJimiT mkurnalobisas rekomendirebulia dozis TandaTanobiT gazarde, dozis individualuri titracia optimaluri Sedegis miRebamde. qvemoTmoyvanili dozirebis instruqciebi SesaZlebelia gamoyenebuli iqnas madopariT mkurnalobis rekomendaciad

sawyisi mkurnaloba

parkinsonis daavadebis adreul stadiebze mkurnalobis dawyeba rekomendirebulia 62.5mg madoparis kafksulebiT an naxevari 125mg-iani tabletiT 3-4 jer dReSi. preparatis kargi amtanobis SemTxvevaSi, doza TandaTanobiT izrdeba avadmyofis reaqciis mixedviT. Cveulebriv optimaluri efeqt miRweva levodofa 300-800 mg+benserazidi 75-200 mg dReRamuri dRe-Ramuri dozis 3 jerad an metad miRebisas.

optimaluri efeqtis misaRebad saWiroa 4-6 kvira. dReRamuri dozis Semdgomi gazarde warmoebs 1 Tvis intervaliT.

SemanarCunebeli Terapia

madoparis saSualo SemanarCunebeli doza Seadgens 125mg-s 3-6 jer dReSi. miRebis jeradoba (aranakleb 3-sa) da maTi ganawileba DdRis ganmavlobaSi unda iZleodes maqsimalur efeqts. efeqtis optimizaciisaTvis SesaZlebelia Cveulebrivi madoparis Secvla dispergirebul an HHDS madopariT.

2.2.1 dozireba gansakuTrebui SemTxvevaSi

avadmyofebma, romlebic iReben parkinsonis daavadebis sawinaaRmdego sxva preparatebs, SeiZleba miiRon madoparic. mxolod madopariT mkurnalobis gagrZelebisas da misi Terapiuli efeqtis gamovlenisas SeiZleba gaxdes saWiro sxva preparatebis dozis Semcireba an maTi moxsnis aucilebloba.

Tu avadmyofs dRis ganmavlobaSi aRenisneba preparatis moqmedebis meryeoba ~CarTva-gamorTva~ fenomenis saxiT, rekomendebulia preparatis mcire dozebis xSiri miReba, an upiratesad _ madopari hds-s daniSvna.

es preparati iniSneba meore dRidan, dilidan. preparatis doza da miRebis sqema rCeba igive, rac Cveulebrivi madoparis daniSvnis dros.

2-3 dRis Semdeg preparatis doza izrdeba 50%-iT. aucilebelia avadmyofebis gafrTxileba imis Sesaxeb, rom maTi mdgomareoba SeiZleba gauaresdes. madopari hds moqmedebs mogvianebiT. klinikuri efeqt aRiniSneba ufro swrafad, Tu dainiSneba madopari hds-i Cveulebriv kafsolebTan erTad an swrafad moqmed tabletebTan. es gansakuTrebiT sasargebloa pirveli dilis dozis dros, romelic ufro didia, vidre Semdgomi dozebi. madopari hds-s individualuri dozis SerCeva xdeba TandaTanobiT, xolo intervali Secvlil dozebs Soris Seadgens 2-3 dRes. avadmyofebSi Ramis simptomatikiT dadebiTi efeqt aRiniSneba madopari hds-s saRamos dozis gazrdiT 250mg-mde Zilis win.

madopari hds-s gamoxatuli efeqtis dros (diskinezia) mizanSewonilia intervalis gazar da dozebs Soris, vidre Semcirdes erTjeradi doza. Tu madopari hds-i araeftur, rekomendebulia mkurnaloba gagrZeldes Cveulebrivi an swrafad moqmedi madopariT.

mosalodneli arasasurveli fsiqiatriuli simpomebis gamo rekomendebulia pacintebze mkacri kontroli.

2.3 winaaRmdegCvenebi:

momatebuli mgrZnobeloba preparatis mimarT; ar SeiZleba madoparis daniSvna mao-s araseleqtur inhibitorebTan. rac Seexeba mao-B-s seleqtur inhibitorebs, magaliTad, selegilins da mao-A seleqtur inhibitorebs, magaliTad, moklobeds, isini winaaRmdegnaCvenebi ar aris.

mao-A-s da mao-B-s inhibitorebis kombinireba eqvivalenturia mao-s araseleqturi daTrgunvisa, amitom aseTi kombinaciis daniSvna erTdroulad madoparTan miuRebelia.

madopari ar iniSneba avadmyofebSi endokrinuli organoebis, RviZlis, Tirkmelebis, gul-sisxlZarRvTa sistemis funqciis darRveviT, fsiqiuri daavadebebis dros fsiqozuri komponentiT da daxurulkuTxovani glaukomiT.

preparati ar iniSneba avadmyofebSi 25 wlamde (unda iyos dasrulebuli Zlovani ConCxis ganviTareba).

madopari ar iniSneba orsulebSi an qalebSi reproduqciul asakSi, romlebic ar iyeneben kontracepciis sando meTodebs. Tu madoparis miRebis fonze ganviTarda orsuloba, preparatis miReba unda Sewydes.

2.4 gafrTxileba da gafrTxilebis zomebi:

2.4.1 zogadi sifrTxilis zomebi: avadmyofebSi momatebuli mgrZnobelobiT SesaZlebelia Sesabamisi reaqciebis ganviTareba.

avadmyofebSi RiakuTxovani glaukomiT rekomendebulia Tvalis Sida wnevis regularuli kontroli, radganac levodofas SeuZlia Tvalis Sida wnevis gazarde.

depresia parkinsonis daavadebis klinikur suraTis Semadgeneli nawilia da SesaZloa gamovlindes madopariT mkurnalobisas.

levodofas miRebisas zogadi anesTeziis dros (garda halotaniT anesTeziisa), rekomendirebulia misi gagrZeleta operaciamde. halotaniT anesTeziisas madoparis miReba wydeba qirurgiul Carevamde 12-48 saatiT adre, vinaidan madopari halotaniT narkozis dros iwvevs arteriuli wnevis cvalebadobas da ariTmias. operaciis Semdeg xdeba mkurnalobis aRdgena operaciamde periodis donemde.

madoparis mkveTri moxsna dauSvebelia. aman SeiZleba gamoiwvios ~avTvisebiani neirolefsiuri sindromi~ (temperaturis momateba, kunTebis rigidoba, aseve SesaZlebelia fsiqiuri cvlilebebi da kreatinfosfokinazas momateba sisxlis SratSi), rac SeiZleba saxifaTo iyos sicocxlisaTvis. misi ganviTarebisas avadmyofi imyofeba eqimis meTvalyureobis qveS (aucileblobis SemTxvevaSi hospitalizacia) da utardeba saTanado simptomuri mkurnaloba, rac gulisxmobs madoparis ganmeorebiT daniSvnas avadmyofis mdgomareobis Sesabamisi Sefasebis Semdeg.

levodofas miRebas Tan axlavs somnolencia da uecari CaZinebis epizodebi. uecari CaZinebis epizodebi gamafrTxilebeli wina simptomebis gareSe Cveulebrivi dRiuri aqtivobisas Zalian iSviaTia. levodofas miRebisas pacientebi gafrTxilebuli unda iyvnen amis Sesaxeb da erCioT yuradRebis gavarjiSeba saWis marTvis da manqana-danadgarebTan muSaobisas. somnolenciis an/da uecari CaZinebis epizodebis arsebobis SemTxvevaSi ar SeiZleba saWis marTva da manqana-danadgarebTan muSaoba. winaaRmdeg SemTxvevaSi, unda Semcirdes levodofas doza. (ix. 2.4.3)

dofaminerguli preparatebi: parkinsonism daavadebis samkurnalod gamoyenebuli dofaminerguli preparatebisaTvis damaxasiaTebelia paTologiuri azartuloba, libidosa da seqsualobis mateba. Ramdenadac madopari ar warmoadgens dofaminis agonists, ar aris cnobili mizezobrivi kavSiri zemoTaRniSnul simptomebsa da madoparis miRebas Soris, Tumca ramdenadac madopari dofaminerguli preparatia, misi daniSvnisas rekomendirebulia sifrTxile.

2.4.2. preparatis borotad moxamareba da wamaldamokidebuleba.

parkinsonis daaavdebis mqone pacientebis mcire qvejgufSi aRiniSneba cnobierebisa da qcevis darRvevebi, ramac SesaZlebelia gamoiwvios pacientebis mier preparatis daniSnulze meti doziT miReba

2.4.3. saWis marTva da da manqana -danadgarebTn muSaoba.

Pacientebs unda aexsnaT, rom levodofas miRebisas somnolenciis an/da uecari CaZinebis epizodebis arsebabis SemTxvevaSi ar SeiZleba saWis marTva da manqana-danadgarebTan muSaoba zemoTaRniSnuli gvediTi movlenebis gaqrobamde da winaaRmdeg SemTxvevaSi isini safrTxes Seuqmrian sxvasac da sakutTar Tvasac. (ix.2.4.1.)

2.4.4 Llaboratoriuli analizebis cvlilebebi: madopariT mkurnalobis rekomendirebulia RviZlis funqiisa da sisxlis saerTo analizis kontroli. diabetis dros rekomendirebulia glikemiis xSiri kontroli da antiglikemiuri preparatebis dozis koreqcia glikemiis donis Sesabamisad.

2.4.5 urTierTqmedeba sxva preparetebTan da urTierTqmedebis sxva formebi.

farmakokinetikuri urTierTqmedeba:

antiqolinerguli preparatis sami-heqsifenidilis madoparTan erTdrouli daniSvnias mciredeba levodopas Sewovis siCqare da ara xarisxi. misi erTdrouli daniSvna madopar hds-Tan ar moqmedebs levodopas farmakokinetikaze.

antacidebis erTdrouli daniSvna madopar hds-Tan amcirebs levodopas Sewovis xarisxs 32%-iT.

rkinis sulfati amcirebs levodopas maqsimalur koncentracias plazmaSi 30-50%-iT, es cvlilebebi zogierT avadmyofebSi klinikurad mniSvnellovania.

metoklopramidi zrdis levodopas Sewovis siCqares. levodopa ar amyarebs farmakokinetur urTierTqmedebas bromkriptinTan, amantadinTan, selegilinTan da domperidonTan.

farmakodinamikuri urTierTqmedeba

neirolefsiuri saSualebebi, opiatebi da antihipertenziuli saSualebebi, romlebic Seicaven rezerpins, Trgunaven madoparis moqmedebas.

Tu madopari eniSneba avadmyofebs, romlebic iReben mao-s Seuqcevad inhibitorebs, maTi miRebis Sewyvetidan madoparis miRebis dawyebamde unda gavides aranakleb 2 kvira. xolo mao-B-s seleqturi inhibitorebi (magaliTad, lazabemidi, seleJilini), da mao-A-s seleqturi inhibitorebi (magaliTad, moklobemidi) SeiZleba dainiSnos madoparis mkurnalobis fonze. am dros xeba levodopas dozis koreqtireba avadmyofis individualuri moTxovnilebis Sesabamisad. mao-A-s da mao- B-s inhibitorebis erTdrouli daniSvna eqvivalenturia mao-s araseleqturi inhibitoris daniSvnisa, amitom aseTi kombinacia ar iniSneba madoparTan erTdroulad. (ix.2.3.)

madopari ar iniSneba erTdroulad simpatomimetur saSualebebTan (magaliTad, adrenalini, noradrenalini, izoproterenoli an amfetamini, romlebic iwveven simpatikuri nervuli sistemis stimulirebas), radganac levodopa iwvevs maTi moqmedebis potencirebas. Tu maTi erTdrouli daniSvna aucilebelia, unda ganxorciel des gul-sisxlZarRvTa sistemis funqiis monitoringi, xolo aucileblobisas _ simpatomimeturebis dozis Semcireba.

Sesazlebelia preparatis kombinireba parkinsonis daavadebis sawinaaRmdego sxva saSualebebTan (magaliTad, antiqolinerguli saSualebebi, amantadini,

dofaminis agonistebi), rac aZlierebs rogorc sasurvel, asve arasasurvel efeqtebs. SesaZlebelia madoparis an sxva preparatis dozis Semcireba. rodesac mkurnalobas umateben kateqol-o-meTiltransferazas inhibitors, SeiZleba Semcirdes madoparis doza. Tu mkurnaloba dawyebulia madopariT, antiqolinerguli preparatebi mkveTrad ar ixsneba, vinaidan levodopa ar moqmedebs dauyovnebliv.

levodopam SeiZleba imoqmedos kateqolaminebis, kreatininis, Sardovanas da glukozis laboratoriuli monacemebis Sedegebze.

avadmyofebSi, romlebic iReben madopars, kumbsis sinjma SeiZleba mogvces cru dadebiTi Sedegebi.

preparatis erTdroulma miRebam ciliT mdidar sakvebTan erTad SeiZleba daarRvios levodopas Sewova kuW-nawlavis traqtidan.

halotaniT anesTeziisas madoparis miReba wydeba qirurgiul Carevamde 12-48 saaTiT adre, vinaidan madopari halotaniT narkozis dros iwvevs arteriuli wnevis cvalebadobas da ariTmias. sxva saanesTezio saSualebebis gamoyenebisas madparis gamoyenebis Sesaxeb informacia ix. 2.4.1

2.5 gamoyeneba gansakuTrebul populaciebSi

2.5.1. orsulebi madopari winaaRmdegnaCvenebia orsulebSi da qalebSi reproduqciis periodSi, romlebic ar itareben kontracepciiis adeqvatur zomebs. (ix. 2.3, 3.3.4, 3.3.5)

2.5.2. meZuZuri dedebi: cnobili ar aris gadadis Tu ara benserazidi dedis rZeSi, amitom madopariT mkurnalbis aucileblobis SemTxvevaSi ZuZuTi kveba unda Sewydes, vinaidan ar SeiZleba gamoiricxos bavSvis ConCxis araswori ganviTareba.

2.5.3. gamoyeneba pedatriaSi -ix. 2.3

2.5.4. Tirkmlis ukamrisoba: levodofa da benserazidi aqtirurad metabolizdeba da ucvleli saxiT levodofas 10 %-ze naklebi gamoiyofa SardiT. Msubuqi an saSualo xarisxis Tirkmlis ukmarisobis dros ar aris saWiro madoparis dozis Semcireba. Tirkmlis ukmarisobis dros levodofasa da benserazidis farmakokinetikuri monacemebi ar aris xelmisawvdomi. uremiiTa da dializze myof pacientebSi madopari kargad gadaitaneba.

2.5.5. RviZlis ukmarisoba: levodofa aromatuli aminomJavebis dekarboqsilazas monawileobiT, romelic lokalizebulia nawlavebSi, TirkmeSi, gulsa da RviZISic. ar arsebobs monacemebi RviZlis ukamrisobis dros levodofasa da benserazidis farmakokinetikis Sesaxeb.

2.6 arasasurveli efeqtebi:

2.6.1. postmarketingi

sisxlisa da limfuri sistemis darRvevebi: madoparis miRebisas iSviaTad vlindeba hemolizuri anemia, gardamavali leikopenia da Trombocitopenia. madopariT xangrZlivi miRebisas rekomendirebulia RviZlis funqciuri sinjebisa da sisxlis saerTo analizis perioduli kontroli.

Mmetaboluri da kvebis darRvevebi: anoreqsia

fsiaqjatriuli darRvevebi: parkinsonis daavadebisaTvis damaxasiaTebelia depresia, rogorc simptomi, Tumca igi Seileba gamowveuli iyos aseve madoparis miRebiT. deluzia da droebiTi dezorientacia mosalodnelia xandazmul da aRniSnuli paTologiis anamnezis mqone pacientebSi.

nervuli sistemis darRvevebi: madopariT mkurnalobisas gamovlenialia ageziisa da disgeziis erTeuli SemTxvevebi. Mkurnalobis mogvianebiT etapze SeiZleba ganviTardes qoreasa da aTetozis formis diskineziebi, rac gaivlis TviTneburad an dozis SemcirebiT. Mmadoparis xangrZlivad gamoyenebisas mosalodnelia Terapiuli moqmedebis meryeoba, rac gamoixateba ~gaSeSebis~ epizodebiT, efeqtis SemcirebiT dozis moqmedebis periodis bolo dros da ~CarTva-gamorTvis~ fenomenis SemcirebiT. am movlenebis moxsna da Semcireba xdeba preparatis dozis daqveiTebiT an patara dozebis ufo xSiri daniSvniT. SemdgomSi SesaZlebelia preparatis dozis gazar da mkurnalobis efeqtis gasaZliereblad. Madoparis miRebisas mosalodnelia somnolenciisa da uecari CaZinebis epizodebis ganviTareba.

kardiologiuri darRvevebi: Zalian iSviaTia ariTmia .

sisxIzarRrovani darRvevebi: Zalian iSviaTia orTostaturi hipotonia. orTostaturi darRvevebi mcirdeba dozis Semcirebis Semdeg.

kuW-nawlavis traqtis darRvevebi: gulisreva, Rebineba, diarea, gemos SegrZnebis dakargvis da cvlilebis SemTxvevebi. es gverdiTi movlenebi

viTardeba preparatis miRebis sawyis stadiaze, maTi Tavidan acileba SesaZlebelia, Tu preparati dainiSneba Wamis dros an sakvebis an wylis sakmarisi raodenobis dayolebiT, aseve dozis TandaTanobiTi gazrdiT.

kanisa da kanqvesa qsovilis dazianeba: kanis alergiuli reaqciebi gamonayaris da qavilis saxiT Zalian iSviaTad viTardeba.

klinikuri gamokvlevebi: Zalian iSviaTad SeiZleba ganviTardes RviZlis transaminazebis aqtivobis da tute fosfatazas tranzitoruli momateba. madoparis miRebis fonze aRiniSneba sisxISi Sardovanas momateba. SeiZleba Seicvalos Sardis feri, Cveulebrev wiTel feramde, romelic muqdeba misi dgomis dros.

2.6.1.1. laboratoriuli analizebis darrvevebi: ix. 2.6.1.

2.7. dozis gadaWarbeba: madoparis dozis gadaWarbebisas ganviTarebuli simptomebi da niSnebi misi Terapiuli dozis mirebistvis damaxasiaTebeli gverdiTi efeqtebis msgavsia, magram ufro mkveTradaa gamoxatuli. Madoparis dozis gadaWarbebam SeiZleba gamoiwwios kardiologiuri gverdiTi efeqtebi (ariTmiebi), fsiqiatriuli aSlilobebi- cnobierebis dabindva, uZiloba, kuW-nawlavis traqtis darRvevebi (gulisreva, Rebineba), uneblie moZraobebi. (ix. 2.6.1)

madoparis kontrolirebadi gamonTavisuflebis formiT dozis gadaWarbebisas simptomebis gamovlena SeiZleba dagviandes aqturi nivTierebis kuWidan dayovnebuli Sewovis gamo.

Warbi dozirebis mkurnaloba: madoparis Warbi doziT miRebisas rekomendirebulia sasicocxlo funciebis kontroi da simptomuri mkurnaloba antiaritmuli, sunTqvish amgznebi da neirolefsiuri preparatebiT.

3. farmakologiuri moqmedeba da maxasiaTebeli

3.1. farmakologiuri maxasiaTebeli

3.1.1. moqmedebis meqanizmi: dofamini, romelic warmoadgens Tavis tvinis neiromediators, arasakmarisi raodenobiT warmoiqmneba parkinsonis daavadebis mqone avadmyofebis bazalur gangliebSi. CanacvlebiTi Terapia warmoebs levodopas daniSvniT, romelic warmoadgens dofaminis metabolur winamorbeds, vinaidan es ukanskneli ciudad aRwevs hematoencefalur bariers.

peroraluri miRebisas levodopa ganicdis swraf dekarboqsilirebas dofaminad, rogorc cerebrul, aseve eqstracerebrul qsovilebSi. amis Sedegad miRebuli levodopas umetesi nawili ver aRwevs bazalur gangliebs, xolo periferiuli dofamini iwvevs gverdiT movlenebs, romelTa Tavidan asacileblad sasurvelia levodopas eqstracerebruli dekarboqsilireba, rac SesaZlebelia levodopas da benserazidis, periferiuli dekarboqsilazas inhibitoris, erTdrouli SeyvaniT. madopari warmoadgens am nivTierebebis kombinacias SefardebiT 4:1, misi

optimaluroba damtkicebulia klinikuri kvleviT da samkurnalo praqtkiT da gaaCnia iseTive efeqturoba, rogorc levodopas did dozebs.

3.2. farmakologiuri Tvisebebi:

3.2.1 Sewova:

gamoSvebis standartuli forma. levodopa da benserazidi Seiwoveba wvrili nawlavis zemo nawilebSi. madoparis Cveulebrivi miRebis Semdeg levodopas maqsimaluri koncentracia sixlis plazmaSi aRiniSneba 1 saaTis Semdeg. levodopas absoluturi bioSeRwevadoba Seadgens 98%, romelic meryeobs 74%-dan 112%-mde. Cveulebriv madoparis kafsolebi da tabletebi bioeqvivalenturia.

levodopas maqsimaluri koncentracia plazmaSi da levodopas Sewovis xarisxi izrdeba dozis proporcijulad (50mg-dan 200mg-mde).

sakvebis miReba amcirebs preparatis Sewovis siCqares da xarisxs. madoparis daniSvna Wamis Semdeg amcirebs levodopas maqsimalur koncentracias plazmaSi 30%-iT da igi miiRweva mogvianebiT. Sewovis xarisxi mcirdeba 15%-iT.

gamoSvebis dispergierebuli forma. janmrTel moxaliseebSi da parkinsonis daavadebis mqone pirebSi swrafad moqmedi madoparis da Cveulebrivi madoparis levodopas farmakokinetikuri parametrebi emTxveva erTmaneTs. dispergierebuli tabletebis Sewovis parametrebi Cveulebrivi samkurnalo formebrisagan gansxvavebiT erTnairia svedasxva avadmyofebSi.

gamoSvebis forma aqtieri nivTierebis kontolirebadi gamoTavisuflebiT.

hds madopars gaaCnia gansxvavebuli farmakokinetikuri Tvisebebi Cveulebriv da dispergierebul formebTan SedarebiT. aqtieri nivTiereba kuWSi Tavisufldeba nela. maqsimaluri koncentracia plazmaSi 20-30%-iT naklebia, vidre Cveulebrivi samkurnalo formebris, da aRiniSneba miRebidan 3 saaTis Semdeg. koncentraciis dinamika plazmaSi xasiaTdeba naxevargamoyofis xangrZlivi periodiT Cveulebrivi formebrisagan gansxvavebiT, rac mowmobs aqtieri nivTierebis kontrolirebad gamoTavisuflebas. hds madoparis bioSeRwevadoba Seadgens 50-70% da ar aris damokidebuli sakvebis miRebaze. aseve sakvebis miReba ar moqmedebs levodopas maqsimalur koncentraciaze, romelic miiRweva madopari hds-s miRebidan 5 saaTis Semdeg.

3.2.2 ganawileba

levodopa gaivlis hematoencefalur bariers najeri transportuli sistemis meSveobiT. igi ar ukavSirdeba plazmis cilebs, xolo ganawilebis mocoloba Seadgens 57 litrs. farTi `koncentracia-dro` levodopas mrudis qveS Seadgens zurgis tvinis siTxeSi plazmis Semcvelobis 12%-s.

benserazidi ar gadis hematoencefalur bariers. igi grovdeba ZiriTadar TirkmelebSi, filtvebSi, wvril nawlavebSi da RviZISi.

3.2.3 metabolizmi

levodopa metabolizdeba 2 ZiriTadi gziT: dekarboqsilirebis da O-meTilirebis gziT, aseve 2 naklebad mniSvnellovani gziT transaminirebiT da JangviT.

aromatuli aminomJavebis dekarboqsilaza gardaqmnis levodopas dofaminad. am cvlis saboloo produqtia homovanilinis da dihidroqsifenilZmarmJavebi.

kateqol-O-meTil-transferaza iwvevs levodopas meTilirebas 3-O-meTildofas warmoqmniT. misi naxevar gamoyofis periodi Seadgens 15-17 saat, da avadmyofebSi, romlebic iReben madoparis Terapiul dozebs, adgili aqvs mis dagrovebas.

levodofas periferiuli dekarboqsilirebis Semcireba, Tu igi iniSneba benserazidTan erTad xasiaTdeba 3-o-meTildopas ufro maRali plazmuri koncentraciebiT da kateqolaminebis (dofamini, noradrenalini) da fenokarboqsiluri mJavaebis (homovanilinis mJava, dihidrofenilZmrarmJava) ufro dabali koncentraciebiT.

nawlavebis lorwovanSi da RviZISi benserazidi ganicdis hidroqsilirebas sami-hidroqsibenzilhidrazinis warmoqmniT. es metaboliti warmoadgens aromatuli aminomJavebis dekarboqsilazas Zlier inhibitors.

3.2.4. eliminicia.

dekarboqsilazas periferiuli inhibirebis fonze levodofpas naxevar gamoyofis periodi Seadgens 1,5 saat. xandazmul pacientebSi (65-78 weli) parkinsonis daavadebiT naxevar gamoyofis periodi grZeldeba (daaxlovebiT 25%-iT). levodofas plazmis klirensi Seadgens 430ml/wuTSi. benserazidi ganicdis srul eliminacias metabolizmis gziT. metabolitebi eliminirdeba ZiriTadar, SardiT (64%) da naklebad ganavalit (24%).

3.2.5. farmakokinetika spacialur populaciebSi: ar arsebobs monacemebi uremiis da RviZlis ukmarisobis dros madoparis farmakokinetikis Taviseburebebis Sesaxeb.

asakis gavlena levodofas farmakokinetikaze: xandazmul pacientebSi parkinsonizmiT (65-78 w) levodofas naxevaraddaSlis periodi da AUC 25%-iT maRalia axlgazrda populaciis (34-64 w) amave maCveneblebTan SedarebiT. asaks ar aqvs klinikurad mniSvnellovani gavlena madoparis farmakokinetikaze.

3.3. preklinikuri usafrTxoeba

3.3.1. kancerogenoba: kvlevebi madoparis kancerogenobis sesaxeb catabulia ar aris.

3.3.2. mutagenoba: Ames testis mixedviT madoparsa da mis Semadgenel komponentebs (levodofas da benserazins) mutagenuri efqti ar aRmoaCndaT. Sxva monacemebi madoparis mutagenobis sesaxeb ar arsebobs.

3.3.3. reproduqciaze gavlena: reproduqciaze madoparis gavlenis Sesaxeb cxovelebSi Catabulii ar aris.

3.3.4. teratogenoba: madoparis teratogenoba an /da ConCxis ganviTarebis Seferxeba ar gamovlenila TagvebSi (400 mg/kg), virTxebsa (600 mg/kg; 250mg/kg) da bocvrebSi (120 mg/kg; 150mg/kg) Catarebui kvlevebSi. dedisTvis madoparis toqsiuri doziT miRebisas aRiniSna saSvilosnosSida sikvdilobis gazar (bocvrebSi) da nayofis wonis Semcireba (virTagvebSi).

3.3.5 sxva. cxovelebze Catarebui ZiriTadi toqsikologiuri kvlevebi miuTiTebs ConCxis ganviTarebis darRvevis SesaZleblobaze. sxva cxovelebze kvlevebi Catarebui ar aris.

4. farmakologiuri maxasiaTebeli

4.1. Senaxvis pirobebi: dauSvebelia madoparis miReba SefuTvaze miTiTebuli Senaxvis vadis gasvl;is Semdeg. dispersuli-swrafad moqmedi madopari miiReba tabletis wyalSi gaxsnidan araumetes naxevari saaTis ganmavlobaSi

5. SefuTva

madopari '62.5' :

kafsolebi - 50 mg levodopa + 12.5 mg benserazidi 30, 100

madopari '125' :

kafsolebi - 100 mg levodopa + 25 mg benserazidi 30, 100

jvaredindanayofiani tabletebi: 100 mg levodopa + 25 mg benserazidi 30, 100

madopari '250' :

kafsolebi - 200 mg levodopa + 50 mg benserazidi 30, 100

jvaredindanayofiani tabletebi- 200 mg levodopa + 50 mg benserazidi 30, 100

madopari dispersuli forma 62.5:

tabletebi-50 mg levodopa + 12.5 mg benserazidi 30, 100

madopari dispersuli forma '125':

tabletebi: 100 mg levodopa + 25 mg benserazidi 30, 100

madopari HBS kontrolirebulad gamonTavisuflebad kafsolebi: 100 mg levodopa + 25 mg benserazidi 30, 100

preparati ar SeinaxoT bavSvebisaTvis xelmisawvdom adgilas.

madoparis dispersuli abebi:

damzadebulia “F. Hoffmann-La Roche Ltd, Basel, Sveicaria” SekveTiT

“Roche S.p.A. ,milani” mier. production site Segrate, italia.

kafsolebi, tabletebi, madopari damzadebulia

SveicariaSi “F. Hoffmann-La Roche Ltd, Basel” mier